



# EXTRAORDINARY PUBLISHED BY AUTHORITY

No. 597, CUTTACK, TUESDAY, APRIL 3, 2007/ CHAITRA 13, 1929

## COMMERCE & TRANSPORT (TRANSPORT) DEPARTMENT

#### **NOTIFICATION**

The 28th March 2007

**S.R.O. No.176**/2007—The following draft of certain rules further to amend the Orissa Motor Vehicles Rules, 1993, which the State Government propose to make in exercise of the powers conferred by section 96 of the Motor Vehicles Act, 1988 (59 of 1988), is hereby published as required by sub-section (1) of section 212 of the said Act for the information of all persons likely to be affected thereby and notice is hereby given that the said draft will be taken into consideration on or after the expiry of a period of thirty days from the date of publication of this notification in the *Orissa Gazette*.

Any objection or suggestion which may be received from any person in respect of the said draft before the expiry of the period so specified above shall be considered by the State Government.

#### **DRAFT**

- **1.** (1) These rules may be called the Orissa Motor Vehicles (Amendment) Rules, 2007.
- (2) They shall come into force on the date of their publication in the *Orissa Gazette*.
- **2.** In the Orissa Motor Vehicles Rules, 1993, (hereinafter referred to as the said rules), in rule 2, after clause (c), the following clause shall be inserted, namely:—
  - "(c-i) DELUXE CONTRACT CARRIAGE" means a Contract Carriage which is constructed and designed to provide more comfort to the Passengers, as per specification mentioned in the Seventh Schedule".
- **3.** In the said rules, in rule 108, in sub-rule (II), after the words "GOODS CARRIAGE", the words "and DELUXE CONTRACT CARRIAGE" shall be inserted.



## 4. In the said rules in Seventh Schedule,—

- (i) after the words "DELUXE STAGE CARRIAGE" appearing in the heading, the words "DELUXE CONTRACT CARRIAGE" shall be inserted and after the words "Deluxe Stage Carriage" wherever appear, the words "and DELUXE CONTRACT CARRIAGE" shall be inserted;
- (ii) after the words, letter, figure and bracket, "See-rule 2 (1) (c)", the words, "letter, figure and bracket" "end (c-i)" shall be inserted:
- (iii) in para (i), the words "or facing side ways as is found suitable" shall be deleted; and after para (i), the following para shall be inserted, namely:—
- "(i-a) Seating layout shall be two and two or one and two or one and one on either side. The seats shall be of reclining type and adjustable". And
  - (iv) after para (v), the following Table shall be inserted, namely:—

**TABLE** 

SI. No.	Wheel base	Seating Capacity for stage carriage or contract carriage (including driver)	. ,	
(1)	(2)	(3)	(4)	
1	127" (3226 mm)	28 24		
2	142" (3607 mm)	33	26	
3	154" (3912 mm)	34 30		
4	165" (4191 mm)	41	30	
5	166" (4216 mm)	38	30	
6	176" (4470 mm)	43	32	
7	183" (4650 mm)	46	38	
8	191" (4851 mm)	48	34	
9	193" (4902 mm)	48	34	
10	206" (5232 mm)	53	38	
11	210" (5334 mm)	53	38	
12	212" (5385 mm)	54	38	
13	216" (5486 mm)	56	40	
14	218" (5550 mm)	55	46	
15	222" (5639 mm)	56	42	
16	230" (5156 mm)	51	38	
17	244" (6220 mm)	61	46	



# For light and medium Omnibuses (Stage Carriages upto 32 seaters)

SI No.	Model	Wheelbase	Seating capacity	Number of tyres.
(1)	(2)	(3)	(4)	(5)
1	Tata 407/31	3100 mm	26 including driver	4+1
2	Tata 407/31	3100 mm	26 including driver	6+1
3	Tata 709/38	3800 mm	34 including driver	6+1
4	Tata 916/42	4200 mm	38 including driver	6+1
5	Mahindra Omnibus	3320 mm	26 including driver	6+1
6	Mahindra Omnibus	2654 mm	24 including driver	4+1

[No. 2681-LC-I-A-10706/ T.]

By order of the Governor

PRIYABRATA PATNAIK

Principal Secretary to Government